

# AUTEL®

# GENERAL CATALOG 2021



MAXISYS

LINE  
MAXISYS

---

PROFESSIONAL ADVANCED DIAGNOSTICS

Advanced Diagnostics & System Information

# All functions in one tool



**The MaxiSys line is AUTEL's most technological advanced line of diagnostic tools, which allows for safe and reliable coding.**

MaxiSys tools are capable of ECU-level procedures, OE-level functions, integrated TPMS service and enhanced wireless Bluetooth connectivity to facilitate movement around the vehicle during the diagnosis.

The MaxiSys line includes **advanced dual band Wi-Fi (2.4 GHz and 5 GHz)** twice as fast as previous generation diagnostic systems.

The vehicle communication interface (VCI) connects to the tablet via the Bluetooth Class 1 Long Range system. Once the wireless VCI is connected to the car, **the technician is completely free to move around the workshop** while maintaining

the connection with the vehicle.

Moreover, its wireless connectivity allows for updates to the latest software versions with better vehicle and feature coverage.

All this allows the technician to provide a complete service to his customers, in full autonomy.



# MAXISYS ULTRA

PART N. MS906ULTRA

The MaxiSys Ultra is Autel's most ambitious diagnostics tablet designed to maximize technician performance.

It features a 12.9-inch touchscreen tablet with Android 7.0 OS, substantial 256 GB built-in memory, all powering the new split-screen multi-application navigation. Combined with the dynamic topology mapping, enhanced AutoSCAN features and Intelligent Diagnostics options, the Ultra offers the technicians step-by-step repair guidance.

The new MaxiFlash VCMII functions as a 4-channel oscilloscope, waveform generator, multimeter, and CAN BUS tester. The convenient docking station featured ensures you always have the power to scan.

**Vehicle interface included.**  
**The tool is sold with the cable case on page 26.**



## SECURITY GATEWAY FCA

Annual subscription

**INCLUDES:**

- 12 month Updates
- 24 months Warranty

**FEATURES:**

- Coverage for more than 80 makes
- Advanced ECU coding and programming
- Automatic updates
- Database for repair support
- VCMII with oscilloscope function

## TECHNICAL SPECIFICATIONS

Processor	Samsung Exynos8895V octa-core
Operating system	Android™ 7.0
Memory	256 GB
Battery	1800 mAh
Display	13 inches, 2732 x 2048

## SOFTWARE & UPDATES

- Software updates
- ADAS Software

**HaynesPro®**

## HAYNES PRO DATABASE

- Smart
- Electronics
- Tech

## MATCHING TOOLS







# MAXISYS 919

PART N. MS919

The MaxiSys MS919 features a 9.7-inch touchscreen tablet with Android 7.0 OS and a substantial 128GB built-in memory.

The new MaxiFlash VCMII functions as a 4-channel oscilloscope, waveform generator, multimeter, and CAN BUS tester.

The supporting MS919 software provides a large library of preset guided tests and extensive waveform library, to ensure techs are getting the most Oscilloscope use.

The MS919 software outperforms competitors by offering DTC and sensor specific test options to help test more accurately, as well as providing probe and component location diagrams.

**Vehicle VCMII included.**

**The tool is sold with the cable case on page 25.**

**FCA**

**SECURITY GATEWAY FCA**

Annual subscription

## INCLUDES:

12 month Updates  
24 months Warranty

## FEATURES:

Coverage for more than 80 makes  
Advanced ECU coding and programming  
Automatic updates  
Database for repair support  
VCMII with oscilloscope function

## TECHNICAL SPECIFICATIONS

Processor	Samsung Exynos8895V octa-core
Operating system	Android™ 7.0
Memory	128 GB
Battery	1500 mAh
Display	9.7 inches, 1536 x 2048

## SOFTWARE & UPDATES

- Software updates
- ADAS Software

**HaynesPro®**

## HAYNES PRO DATABASE

- Smart
- Electronics
- Tech

## MATCHING TOOLS



OBD ADAPTER SET  
MSOBD2KIT



OSCILLOSCOPE SET  
MSOAK



# MAXISYS 909

**PART N.** MS909

The MaxiSys MS909 features a 9.7-inch touchscreen tablet with Android 7.0 OS powered by an Octa-core processor (2.3 GHz Quad + 1.7 GHz Quad), and a substantial 128 GB built-in memory. The MS909 features the new MaxiFlash VCI, a combination of VCI and vehicle communication tool providing faster dual Wi-Fi vehicle and network communications.

The MS909 features front and rear cameras and a rechargeable Lithium battery providing 8 hours of continuous use to ensure you always have the power to scan.

**Vehicle interface included.**  
The tool is sold with the cable case on page 24.



## SECURITY GATEWAY FCA

Annual subscription

### INCLUDES:

- 12 month Updates
- 24 months Warranty

### FEATURES:

- Coverage for more than 80 makes
- Advanced ECU coding and programming
- Automatic updates
- Database for repair support
- VCMII with oscilloscope function

## TECHNICAL SPECIFICATIONS

Processor	Samsung Exynos8895V octa-core
Operating system	Android™ 7.0
Memory	128 GB
Battery	1500 mAh
Display	9.7 inches, 1536 x 2048

## SOFTWARE & UPDATES

- Software updates
- ADAS Software

## HaynesPro®

## HAYNES PRO DATABASE

- Smart
- Electronics
- Tech

## MATCHING TOOLS



OBD ADAPTER SET  
MSOBD2KIT



MAXISCOPE  
MP408



# MAXISYS ELITE

PART N. MSELITE

The MaxiSys Elite, the newest addition to the MaxiSys line of highly advanced smart diagnostic tools, is based on the fast and intuitive Android operating system.

Powered by NVIDIA's Tegra® 4, the world's fastest mobile processor, its visually stunning 9.7" Retina display offers ultra-high resolutions up to 2048x1536 and an optimized array of sophisticated and powerful applications. The MaxiSys Elite rapidly performs every job from comprehensive vehicle diagnostics & analysis to advanced ECU programming. 2x faster than any comparable device, the MaxiSys Elite provides extended battery life and intelligent power saving. The MaxiSys Elite offers a super-sensitive capacitive screen able to respond to gloved, moistened, and even greasy fingers! The ergonomically angled docking station provides optimum visibility and convenient charging that eliminates power concerns.

**FCA**

**SECURITY GATEWAY FCA**

Annual subscription

## INCLUDES:

12 month Updates  
24 months Warranty

## FEATURES:

Coverage for more than 80 makes  
Advanced ECU coding and programming  
Automatic updates  
Database for repair support  
VCMI with oscilloscope function

## TECHNICAL SPECIFICATIONS

Processor	ARM Cortex-A15 CPU
Operating system	Android 4.4.4 KitKat
Memory	2GB RAM&32GB
Battery	1500 mAh
Display	9.7 inches, 2048 x 1536

## SOFTWARE & UPDATES

- Software updates
- ADAS Software

**HaynesPro®**

## HAYNES PRO DATABASE

- Smart
- Electronics
- Tech

## MATCHING TOOLS



OBD ADAPTER SET  
MSOBD2KIT



OSCILLOSCOPE SET  
MSOAK



# MAXISYS 908S PRO

PART N. MS908PRO

The MS908S PRO is based on the revolutionary Android multitasking operating system, utilizes the powerful Cortex A7+A15 six-core processor, and equips with 9.7-inch LED capacitive touch screen.

Supporting J2534 ECU Programming Device, is capable of replacing the existing software/firmware in the Electronic Control Units (ECU), programming new ECUs and fixing software-controlled drivability issues and emission issues. The MS908S PRO is an ideal tool for easy and efficient professional diagnostics.

**Vehicle interface included.**  
**The tool is sold with the cable case on page 22.**



## SECURITY GATEWAY FCA

Annual subscription

**INCLUDES:**

- 12 month Updates
- 24 months Warranty

**FEATURES:**

- Advanced ECU programming
- Wi-Fi connectivity
- Bluetooth connection
- Online update

### TECHNICAL SPECIFICATIONS

Processor	Samsung Exynos 6-Core
Operating system	Android™ 4.4.2, KitKat
Memory	2 GB RAM & 64 GB ROM
Battery	11000 mAh
Display	9.7 inches, 2048 x 1536

### SOFTWARE & UPDATES

- Software updates
- ADAS Software

**HaynesPro®**

### HAYNES PRO DATABASE

- Smart
- Electronics
- Tech

### MATCHING TOOLS

MAXISCOPE MP408	MAXIVIDEO MV 105 / 108 MV105 - MV108





# MAXISYS 908 S

PART N. MS908

The MaxiSys MS908S diagnostic tool is an evolutionary smart solution for specialized automotive diagnosis. It uses the powerful Cortex A7+A15 six-core processor, and a 9.7 inch LED capacitive touch screen, combined with the best possible coverage of OE-level diagnostics.

Based on the revolutionary multitask-capable Android Operating system, the tool organizes information with test instrumentation to help diagnose symptoms, codes, and customer complaints easily, quickly and efficiently.

**Vehicle interface included.**

**The tool is sold with the cable case on page 23.**

**FCA**

**SECURITY GATEWAY FCA**

Annual subscription

## INCLUDES:

12 month Updates  
24 months Warranty

## FEATURES:

Advanced ECU programming  
Wi-Fi connectivity  
Bluetooth connection  
Online update

## TECHNICAL SPECIFICATIONS

Processor	Samsung Exynos T5260 6-Core
Operating system	Android™ 4.4.2, KitKat
Memory	2 GB RAM & 32 GB ROM
Battery	10000 mAh
Display	9.7 inches, 2048 x 1536

## SOFTWARE & UPDATES

- Software updates
- ADAS Software

**HaynesPro®**

## HAYNES PRO DATABASE

- Smart
- Electronics
- Tech

## MATCHING TOOLS



MAXISCOPE  
MP408



MAXIFLASH  
23VCIPR



MAXIVIDEO MV 105 / 108  
MV105 - MV108





**COMING SOON**

# MAXISYS 908 CV

**PART N. MS908CV**

As a new member of Autel's MaxiSys family, the MaxiSys MS908CV is built on the powerful MaxiSys 908 platform and provides a comprehensive diagnostic solution for virtually all commercial vehicles as well as machines made in North America, Europe and Asia.

Offering advanced features and extreme ease-of-use, MaxiSys MS908CV is the ideal solution for independent repair shops, owner-operators and various sized fleets seeking a single scan tool for all their professional heavy duty needs.

**Includes MAXIFLASH ELITE**  
The tool is sold with the cable case on page 22.

**FCA**

**SECURITY GATEWAY FCA**

Annual subscription

**INCLUDES:**

- 12 month Updates
- 24 months Warranty

**FEATURES:**

- Class 1-9 Commercial Vehicles
- Bi-Directional Control
- AutoSCAN / AutoVIN 2006+
- 25 Service Functions

**TECHNICAL SPECIFICATIONS**

Processor	Samsung Exynos Quad-Core 1.4GHz
Operating system	Android™ 4.0, Ice Cream Sandwich
Memory	2GB RAM & 32GB On-board Memory
Battery	11000 mAh
Display	9.7 inches, 1024x768

**SOFTWARE & UPDATES**


- Software updates
- ADAS Software

**HaynesPro®**

**HAYNES PRO DATABASE**

- Smart
- Electronics
- Tech

**MATCHING TOOLS**



**MAXIFLASH ELITE**  
MP408

**MAXIVIDEO MV 105 / 108**  
MV105 - MV108









# MAXISYS 906 TS

**PART N.** MS906TS

The MS906TS is the tool of the MaxiSys line for advanced wireless diagnostics. The device is based on the Android operating system featured with the best possible coverage and ECU coding capability.

It guarantees an extraordinarily short power time and unmatched speed, including AutoVIN technology, to identify vehicles with a single gesture, and the exclusive AutoScan function. The MaxiSys MS 906 TS is also equipped with the integrated TPMS function.

**Vehicle interface included.**  
The tool is sold with the cable case on page 23.



## SECURITY GATEWAY FCA

Annual subscription

**INCLUDES:**

- 12 month Updates
- 24 months Warranty

**FEATURES:**

- Integrated TPMS function
- ECU coding
- Wi-Fi connectivity
- Bluetooth connection
- Online update

### TECHNICAL SPECIFICATIONS

Processor	Samsung Exynos T5260 6-Core
Operating system	Android™ 4.4.2, KitKat
Memory	2 GB RAM & 32 GB ROM
Battery	10000 mAh
Display	8 inches, 1024 x 768

### SOFTWARE & UPDATES

- Software updates
- ADAS Software

**HaynesPro®**

### HAYNES PRO DATABASE

- Smart
- Electronics
- Tech

### MATCHING TOOLS

<b>MAXISCOPE</b> MP408	<b>MAXIVIDEO MV 105 / 108</b> MV105 - MV108	<b>AUTEL SENSORS</b> SEE TPMS SECTION



# MAXISYS 906 BT

PART N. MS906BT

An advanced tool, the MaxiSys MS906BT is designed to ensure the most intuitive and integrated diagnostic experience possible. It offers comprehensive and extensive system coverage for over 80 European, Asian and American makes.

Software and system updates are automatic with real-time notification messages. The remote technical support allows to request assistance anywhere and at any time. Wireless connectivity between the tablet and the VCI device allows to move freely and work more easily around the vehicle.

**Vehicle interface included.**  
The tool is sold with the cable case on page 23.

**FCA**

**SECURITY GATEWAY FCA**

Annual subscription

## INCLUDES:

12 month Updates  
24 months Warranty

## FEATURES:

ECU coding  
Wi-Fi connectivity  
Bluetooth connectivity  
Online update

## TECHNICAL SPECIFICATIONS

Processor	Samsung Exynos T5260 6-Core
Operating system	Android™ 4.4.2, KitKat
Memory	2 GB RAM & 32 GB ROM
Battery	10000 mAh
Display	8 inches, 1024 x 768

## SOFTWARE & UPDATES

- Software updates
- ADAS Software

**HaynesPro®**

## HAYNES PRO DATABASE

- Smart
- Electronics
- Tech

## MATCHING TOOLS



MAXIVIDEO MV 105 / 108

MSOAK



MAXISCOPE

MP408



# MAXISYS 906

**PART N.** MS906

The MaxiSys MS 906 is based on the Android operating system and can be connected to the car via a practical and functional OBD cable.

The instrument is equipped with 6-Core Exynos processor, 32 GB memory, 8-inch HD touch screen with 1024x768 resolution and internal rechargeable lithium battery that guarantees up to 14 hours of continuous work. Thanks to the MaxiSys MS906, effective and complete diagnoses can be performed without wasting time.

**Vehicle interface included.**  
The tool is sold with the cable case on page 23.

## TECHNICAL SPECIFICATIONS

Processor	Samsung Exynos 6-Core
Operating system	Android™ 4.4.2, KitKat
Memory	2 GB RAM & 32 GB ROM
Battery	5000 mAh
Display	8 inches, 1024 x 768

## SOFTWARE & UPDATES

- Software updates
- ADAS Software

## FCA

### SECURITY GATEWAY FCA

- Annual subscription

### INCLUDES:

- 12 month Updates
- 24 months Warranty

### FEATURES:

- Automatic VIN scan
- Cable connection to the vehicle
- Wi-Fi connectivity
- Online update

## MATCHING TOOLS



TPMS PAD  
TPMSPAD



AUTEL SENSORS  
SEE TPMS SECTION




AUTEL



Diagnostics



Service



Shop Manag



Data Manager



Settings



Upda



MaxiSys MS908S

BT Wire  
Diagnost

- Power icon
- Veh icon
- Error icon
- BT icon
- USB icon

AUTEL

**PART N.** MS0BD2KIT

# OBD ADAPTERS KIT

Ultra-resistant professional case equipped with a set of adapters for OBD socket. Ideal for keeping all the necessary sockets in order and close at hand.

**Compatible with:**  
**MSULTRA, MS919, MS909, MX808 and TS608**

**INCLUDES**

24 months Warranty



**ADAPTERS INCLUDED**

Nissan - 14	Mazda - 17
Mitsubishi/Huyndai - 12+16	Fiat - 3
Kai - 20	PSA - 2
Bmw - 20	Chrysler - 16
Benz - 38	Benz - 14
VW/Audi - 2+2	

**MATCHING TOOLS**



MAXISYS ULTRA, 919, 909

SEE TPMS SECTION

MAXISYS MX808

SEE TPMS SECTION

MAXISYS TS608

SEE TPMS SECTION

**PART N.** MS0AK

# OSCILLOSCOPE KIT

Kit for current measuring using current clamps, coil on plug probes and battery pole connectors.

**Compatible with:**  
**MSULTRA, MS919 (VCMI) and MP408**

**INCLUDES**

24 months Warranty



**ACCESSORIES INCLUDED**

Current clamps
Coil on plug probe
HT Extension Lead
Battery clips

**MATCHING TOOLS**



MAXISYS ULTRA / 919

SEE MAXISYS SECTION

MAXISCOPE

M0408



PART N. 23VCIPR

# MAXIFLASH ELITE J2534

A VCI is an interface which allows communication with the control units (ECU). Being compliant with SAE J2534 1 and 2, through OEM software\* it is possible to carry out ECU programming and updates of vehicles, which are useful for correcting operating and driveability problems in software. It performs the PassThru J2534 standard function and ensures advanced programming and diagnostic performance.

\*Requirements: to access the OEM portals it is necessary to have a subscription and a correctly configured PC. These are not included.

## SPECIFICATIONS

ECU programming  
System coding > EURO 5  
Ethernet connectivity  
ECU modules updates  
SAE J2534 1 and 2 Protocols

## INCLUDES

24 months Warranty



## TECHNICAL SPECIFICATIONS

Communications	Wireless BT V2.1 + EDR, USB 2.0
Frequency	Wireless BT V2.1 + EDR, 2.4 GHz
Power supply	12 VDC to 24 VDC
Current	170 mAh 12 VDC / 100 mAh 24 VDC
Dimensions	14.9 x 8.6 x h 3.5 cm

## MATCHING TOOLS



MAXISYS 908 S PRO

MS908PRO

PART N. MP408

# MAXISCOPE MP 408

The MaxiScope MP408 is the oscilloscope of the MaxiSys accessory line that allows to measure and test virtually all the electrical and electronic components and circuits in any modern vehicles.

Connected to a tool of the MaxiSys line or to a PC, allows to view coloured waveforms in high definition.

## SPECIFICATIONS

Scale in Volts or Amps  
Reads MAX 100 V  
Direct USB connection  
Color-coded 4-channel control panel  
Reads/displays electrical signals in waveforms

## INCLUDES

24 months Warranty



## TECHNICAL SPECIFICATIONS

Bandwidth	20 MHz
Sensitivity	10 mV/div to 20 V/div
PC Interface	USB 2.0 – cable supplied
Power supply	from USB port
Dimensions	19 x 11.5 x h 3.8 cm

## MATCHING TOOLS



THE ENTIRE MAXISYS LINE  
SEE MAXISYS SECTION



OSCILLOSCOPE SET  
MSOAK

**PART N.** MV105

# MAXIVIDEO MV 105

The MaxiVideo MV105 is the accessory that allows to inspect the engine and its components by connecting it directly to the tool.

Thanks to the reduced thickness of the probe (only 5.5 mm), it is possible to examine difficult-to-reach areas and find obstructions or faults.

### SPECIFICATIONS

Zoom 5x  
Built-in LED

### INCLUDES

24 months Warranty



### TECHNICAL SPECIFICATIONS

👁️ Optimal viewing distance	0.95 cm to 30 cm
📷 Image capture	320 x 240
👁️ Image head	5.5 mm
📏 Weight	0.2 kg
📄 Compliance	FCC (EMC), CE (EMC / LVD)

### MATCHING TOOLS



THE ENTIRE MAXISYS LINE  
SEE MAXISYS SECTION

**PART N.** MV108

# MAXIVIDEO MV 108

The MaxiVideo MV108 is the accessory that allows to inspect the engine and its components by connecting it directly to the tool.

### SPECIFICATIONS

Zoom 5x  
Built-in LED

### INCLUDES

24 months Warranty



### TECHNICAL SPECIFICATIONS

👁️ Optimal viewing distance	2.54 cm to 35.56 cm
📷 Image capture	640 x 480
👁️ Image head	8.5 mm
📏 Weight	0.3 kg
📄 Compliance	FCC (EMC), CE (EMC / LVD)

### MATCHING TOOLS



THE ENTIRE MAXISYS LINE  
SEE MAXISYS SECTION



**AUTEL**

LandRover  
V3.30.02

Range Rover Evoque(EU)  
2015/01-2015/12


Check

Programming

Relearn

VCI

Psi



	ID(HEX)▼	Psi▼	MHZ	°F▼	BAT
FL	22B4DAG4	0.1	433	80	OK
FR	10D9BBA5	0.1	433	80	OK
RR	26C7DGE6	0.1	433	80	OK
RL	18D2CBS8	0.1	433	78	OK

Trigger



**MaxiSys MS906 TS**



## CABLE CASE INCLUDED WITH **MAXISYS 908 S PRO**

### INCLUDED IN THE CASE

USB Cable  
Mini USB Cable  
Patch Cable  
Clipper Cable  
Main Cable  
USB Ethernet Adapter  
Ethernet Cable  
Fuses x2  
Cigarette Lighter  
AC/DC Adapter  
BMW F-series Adapter  
Pass-Thru BMW Cable  
Mitsubishi/Hyundai - 12+16  
VW/Audi - 2+2  
Benz - 38  
Benz CV - 14  
BMW - 20  
Kia - 20  
Nissan - 14  
GM/Daewoo - 12

Honda - 3  
Docking Station (Maxisys Elite)  
TS Screwdriver  
Fiat - 3  
PSA - 2



## CABLE CASE INCLUDED WITH **906/BT/TS & 908 S**

### INCLUDED IN THE CASE

Main Cable  
USB Cable  
Mini USB Cable  
AC/DC Adapter  
Cigarette Lighter  
Fuses x2  
Benz - 14  
Chrysler - 16  
BMW - 20  
Kia - 20  
Nissan - 14  
GM/Daewoo - 12  
Honda - 3  
Benz - 38  
VW/Audi - 2+2  
Mitsubishi/Huyndai - 12+16  
PSA - 2 (only 906/TS/BT)  
PSA - 3 (only 906/TS/BT)



## CABLE CASE INCLUDED WITH **MAXISYS 908 CV**

### INCLUDED IN THE CASE

Ac/Dc Adapter (12V)  
 Main cable  
 Mini USB cable  
 Clipper Cable  
 Cigarette Lighter  
 Light fuse 6x30mm (2 pcs)  
 Deutsch-6  
 Deutsch-9  
 UNI-4  
 JW1 (2 pcs)  
 JW2 (2 pcs)  
 JW3 (2 pcs)  
 JW4 (2 pcs)  
 JW5 (2 pcs)  
 JW6 (2 pcs)  
 JW7 (2 pcs)  
 JW8 (2 pcs)  
 JW9 (2 pcs)  
 JW10 (2 pcs)  
 Case



## CABLE CASE INCLUDED WITH **MAXISYS 909**

### INCLUDED IN THE CASE

MaxiFlash VCI  
 OBD-II Cable  
 USB Cable  
 AC/DC Adapter  
 Clipper Cable  
 Cigarette Lighter  
 Fuses x2



## CABLE CASE INCLUDED WITH MAXISYS 919

### INCLUDED IN THE CASE

- MaxiFlash VCMII
- OBD-II Cable
- USB Cable
- AC/DC Adapter
- Cigarette Lighter
- Fuses x2
- Clipper Cable
- Scope Test Lead
- Multimeter Test Lead
- Secondary Ignition Pickup
- Attenuator 20:1
- Breakout Lead
- Multimeter Probe
- Flexible Back-pinning Probe
- Back-pinning Probe red/green/blue/yellow/black
- Back-pinning Probe Screw
- Back-pinning Replacement Needle
- Small Crocodile Clip
- Large Dolphin Clip



**CABLE CASE INCLUDED**  
WITH THE PURCHASE OF THE TOOL

## CABLE CASE INCLUDED WITH MAXISYS ULTRA

### INCLUDED IN THE CASE

- MaxiFlash VCMII
- Docking station
- OBD-II Cable
- USB Cable
- AC/DC Adapter
- Cigarette Lighter
- Fuses
- Clipper Cable
- Scope Test Lead
- Multimeter Test Lead
- Secondary Ignition Pickup
- Attenuator 20:1
- Breakout Lead
- Multimeter Probe
- Flexible Back-pinning Probe
- Back-pinning Probe red/green/blue/yellow/black
- Back-pinning Probe Screw
- Back-pinning Probe Replacement Needle
- Small Crocodile Clip
- Large Dolphin Clip



**CABLE CASE INCLUDED**  
WITH THE PURCHASE OF THE TOOL





AUTEL



DEMO



BENZ

Benz

Eobd



DODGE

JEEP

Jeep



CHRYSLER

Dodge



FIAT

FORD



Ferrari

Fiat

AstonMartin

Ford

MaxiSys

VCI

## MAXISYS LINE ACCESSORIES

### MAXISYS MINI

CODE	DESCRIPTION	PRODUCT
02CB905	AC/DC Battery Charger (12 V)	
03CV0BD	OBD Connection Cable	
05ADCHR	Chrysler - 16 (only for US Market)	
06ADFIA	Fiat - 3	
07ADPSA	PSA - 2	
09BTVCI	MaxiSys Wireless Interface	

## MAXISYS LINE ACCESSORIES

### MAXISYS 906

CODE	DESCRIPTION	PRODUCT
05ADCHR	Chrysler - 16 (only for US Market)	
06ADFIA	Fiat - 13	
07ADPSA	PSA - 2	
31CV906	OBD Connection Cable	
32CB906	AC/DC Battery Charger (12 V)	



**MAXISYS** LINE ACCESSORIES**MAXISYS 906 BT / TS**

CODE	DESCRIPTION	PRODUCT
01CB908	AC/DC Battery Charger (12 V)	
05ADCHR	Chrysler - 16 (only for US Market)	
06ADFIA	Fiat - 13	
07ADPSA	PSA - 2	
10CVUSB	USB Connection Cable	
30VCIBT	MaxVCI 100	

**MAXISYS** LINE ACCESSORIES**MAXISYS 908**

CODE	DESCRIPTION	PRODUCT
05ADCHR	Chrysler - 16 (only for US Market)	
06ADFIA	Fiat - 13	
07ADPSA	PSA - 2	
03CV0DB	OBD Connection Cable	
09BTVCI	MaxiSys Wireless Interface	

## MAXISYS LINE ACCESSORIES

### MAXISYS 908 S

CODE	DESCRIPTION	PRODUCT
01CB908	AC/DC Battery Charger (12 V)	
05ADCHR	Chrysler - 16 (only for US Market)	
06ADFIA	Fiat - 13	
07ADPSA	PSA - 2	
10CVUSB	USB Connection Cable	









## MAXISYS LINE ACCESSORIES

### MAXISYS 908 PRO / 908 S PRO

CODE	DESCRIPTION	PRODUCT
02CB908	AC/DC Battery Charger (12 V)	
04CVPRO	OBD Connection Cable	
05ADCHR	Chrysler - 16 (only for US Market)	
06ADFIA	Fiat - 3	
07ADPSA	PSA - 2	
08ADBWM	Pass-Thru BMW Adapter	
10CVUSB	USB Connection Cable	
25CVETH	Ethernet Cable	

## MAXISYS LINE ACCESSORIES

### MAXISYS ELITE

CODE	DESCRIPTION	PRODUCT
01CB908	AC/DC Battery Charger (12 V)	
05ADCHR	Chrysler - 16 (only for US Market)	
06ADFIA	Fiat - 3	
07ADPSA	PSA - 2	
08ADBWM	Pass-Thru BMW Adapter	
10CVUSB	USB Connection Cable	
25CVETH	Ethernet Cable	
35ADELT	J5 Create Adapter	



# MAXISYS COMPARISON CHART



TECHNICAL SPECIFICATIONS	MAXISYS 906	MAXISYS 906 TS
Processor	Samsung Exynos 6-Core	Samsung Exynos T5260 6-Core
Operating system	Android™ 4.4.2, KitKat	Android™ 4.4.2, KitKat
Memory	2 GB RAM & 32 GB ROM	2 GB RAM & 32 GB ROM
Touchscreen	8 inches, 1024 x 768	8 inches, 1024 x 768
Connectivity	Wi-Fi / DB16 DLC SD Card (32 GB)	Wi-Fi/USB 2.0/Mini USB 2.0/Wireless HDMI 1.4a/SD Card (32 GB)
Internal Battery	5000 mAh 3.7 V	10000 mAh 3.7 V
Weight	0.93 kg	1.10 kg
Camera	8.0 Megapixel AF with Flashlight	8.0 Megapixel AF with Flashlight
Integrated TPMS System	No	Yes
Oscilloscope (optional)	No	Yes
Digital Inspection (optional)	Yes	Yes
MaxiFlash Pro (optional)	Yes	No
European, US and Asian Vehicle Coverage	Yes	Yes
Automatic VIN scan	Yes	Yes
MaxiFix Cloud system information	Yes	Yes
ECU Coding	No	Advanced
Online updates	Yes	Yes
Car Diagnostics	Yes	Yes
Truck Diagnostics	No	No

**MAXISYS 906 BT****MAXISYS 908 S****MAXISYS 908 S PRO**Samsung Exynos  
T5260 6-CoreSamsung Exynos  
T5260 6-Core

Samsung Exynos 6-Core

Android™ 4.4.2, KitKat

Android™ 4.4.2, KitKat

Android™ 4.4.2, KitKat

2 GB RAM &amp; 32 GB ROM

2 GB RAM &amp; 32 GB ROM

2 GB RAM &amp; 64 GB ROM

8 inches, 1024 x 768

9.7 inches, 2048 x 1536

9.7 inches, 2048 x 1536

Wi-Fi/USB 2.0/Mini USB 2.0/Wireless  
HDMI 1.4a/SD Card (32 GB)Wi-Fi/USB: 2.0/Mini USB 2.0/Wireless BT/  
HDMI 1.4a/SD Card (32 GB)Wi-Fi/USB: 2.0/Mini USB 2.0/Wireless BT/  
HDMI 1.4a/SD Card (32 GB)

10000 mAh 3.7 V

10000 mAh 3.7 V

11000 mAh 3.7 V

1.05 kg

1.42 kg

1.42 kg

8.0 Megapixel  
AF with Flashlight8.0 Megapixel  
AF with Flashlight8.0 Megapixel  
AF with Flashlight

No

No

No

Yes

Yes

Yes

Yes

Yes

Yes

No

Yes

Included

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Advanced

Yes

Advanced

Yes

Yes

Yes

Yes

Yes

Yes

No

No

No

# MAXISYS COMPARISON CHART



TECHNICAL SPECIFICATIONS	MAXISYS 909	MAXISYS 919
Processor	2.3 GHz + 1.7 GHz Octa-core	2.3 GHz + 1.7 GHz Octa-core
Operating system	Android 7.0	Android 7.0
Memory	4 GB RAM & 128 GB ROM	4 GB RAM & 128 GB ROM
Touchscreen	9.7 inches, 11536 x 2048	9.7 inches, 11536 x 2048
Internal Battery	15000 mAh	15000 mAh
Camera	16 Megapixel	16 Megapixel
Integrated TPMS System	No	No
Oscilloscope	Optional	Integrated
MaxiFlash VCI	Yes	Yes
VCMII	No	Yes
European, US and Asian Vehicle Coverage	Yes	Yes
Automatic VIN scan	Yes	Yes
MaxiFix Cloud system information	Yes	Yes
ECU Coding	Advanced	Advanced
Online updates	Yes	Yes
Car Diagnostics	Yes	Yes
Truck Diagnostics	No	No





**MAXISYS ULTRA**

2.3 GHz + 1.7 GHz - Samsung Exynos 8895V Octa-core

Android 7.0

4 GB RAM & 256 SSD

12.9 inches, 2732 x 2048

18000 mAh

16 Megapixel

No

Integrated

Yes

Yes

Yes

Yes

Yes

Advanced

Yes

Yes

No

**AUTEL**<sup>®</sup>

**Autel Europe**

✉ [salesoffice.eu@autel.com](mailto:salesoffice.eu@autel.com)  
✉ [support.eu@autel.com](mailto:support.eu@autel.com)  
Adalperostraße 82,  
85737 Ismaning – Germany

✉ [salesoffice.eu@autel.com](mailto:salesoffice.eu@autel.com)  
✉ [support.eu@autel.com](mailto:support.eu@autel.com)  
Via dell'Artigianato, 14  
30020 Marcon (VE) – Italy

**Autel China HQ**

✉ [support@autel.com](mailto:support@autel.com)  
7th, 8th, 10th floor, Bldg. B1,  
Zhiyuan, 1001 Xueyuan Rd,  
Xili, Nanshan, Shenzhen, China

**Autel North America**

✉ [ussupport@autel.com](mailto:ussupport@autel.com)  
175 Central Ave, Suite 200,  
Farmingdale, NY 11735, U.S.

Follow Us @AutelEurope



 [www.autel.eu](http://www.autel.eu)